ANALYTICA CHIMICA ACTA, VOL. 252 (1991)

AUTHOR INDEX

Abdul-Rashid, M.K.
—, Riley, J.P., Fitzsimons, M.F. and Wolff, G.A.
Determination of volatile amines in sediment and water samples 223
Agterdenbos, J., see Van Elteren, J.T. 89
Aller, A.J., see García-Olalla, C. 97
Antonelli, M.L.
—, Carunchio, V. and Luciani, M.
Microcalorimetric study of the system adenosine-5′-triphosphate–sodium, potassium adenosine-5′-triphosphatase. Part 1. Determination of the catalytic activity of Na^+, K^+ ATPase 17
Arias León, J.J., see García Fraga, J.M. 107

Barefoot, R.R., see Wang, Z. 205

Calhoun, R.K.
—, Holler, F.J., Geiger, Jr.,, R.F., Nieman, T.A. and Caserta, K.J.
Wide-range bipolar pulse conductance instrument employing current and voltage modes with sampled or integrated signal acquisition 29
Cámara, C., see De la Calle Guntiñas, M.B. 161
Carunchio, V., see Antonelli, M.L. 17
Caserta, K.J., see Calhoun, R.K. 29
Chen, H., see Han, J. 47
Colomiets, L.I., see Zaitsev, V.N. 1
Coquet, A.
—, Veuthey, J.-L., Haerdi, W. and Degli Agosti, R.
Applications of a post-column fluorigenic reaction in liquid chromatography for the determination of glucose and fructose in biological matrices 173

Das, H.A., see Van Elteren, J.T. 89
Degli Agosti, R., see Coquet, A. 173
De Graaff, J., see Engelsma, M. 187
De la Calle Guntiñas, M.B.
—, Madrid, Y. and Cámara, C.
Flow-injection and continuous-flow systems to determine antimony(III) and antimony(V) by hydride generation atomic absorption spectrometry 161
De Ligny, C.L., see Van Elteren, J.T. 89
Dumschat, C.
—, Müller, H., Stein, K. and Schwedt, G.
Pesticide-sensitive ISFET based on enzyme inhibition 7

Elskaya, A.V., see Zaitsev, V.N. 1
Engelsma, M.
—, De Graaff, J. and Smit, H.C.
Characteristics of a hot-wire thermal decomposition modulator for correlation gas chromatography 187
Ensafi, A.A., see Safavi, A. 121, 167
Evans, J., see Zaitsev, V.N. 1

Fitzsimons, M.F., see Abdul-Rashid, M.K. 223

Gallego, M., see Montero, R. 83
Gao, H., see Han, J. 47
García-Olalla, C.
— and Aller, A.J.
Determination of gold in ores by flame and graphite furnace atomic absorption spectrometry using a vanadium chemical modifier 97
García Fraga, J.M.
—, Jiménez Abizanda, A.I., Jiménez Moreno, F. and Arias León, J.J.
Simultaneous determination of amitriptyline, imipramine and perphenazine in pharmaceutical preparations and blood serum by multi-wavelength spectrophotometry 107
Geiger, Jr.,, R.F., see Calhoun, R.K. 29

Haapakka, K., see Kulmala, S. 65
Haerdi, W., see Coquet, A. 173
Han, J.
—, Chen, H. and Gao, H.
Alternating current adsorptive stripping voltammetry in a flow system for the determination of ultratrace amounts of folic acid 47
Haselager, N.G., see Van Elteren, J.T. 89
Holler, F.J., see Calhoun, R.K. 29

Ito, K., see Rusling, J.F. 23

Janowicz, K., see Kurzawa, J. 127
Jensen, E.S., see Sørensen, P. 201
Jiménez Abizanda, A.I., see García Fraga, J.M. 107
Jiménez Moreno, F., see García Fraga, J.M. 107
Jin, W.
— and Wang, J.
Investigations on adsorption stripping potentiometry. Part III. Theory of derivative adsorption potentiometry for a reversible reaction 59

Kankare, J., see Kulmala, S. 65
Kato, F., see Katsura, T. 77
Katsura, T.
—, Kato, F. and Matsumoto, K.
Sensitivity enhancement by organopalladium complexes

for graphite furnace atomic absorption spectrometry of alkyltin compounds in organic solvents and its application to the determination of total tin leached from ship paints 77
Kimura, K.
—, Matsute, M. and Yokoyama, M.
Anion-sensitive field effect transistors based on polyion complex bilayers 41
Kobayashi, Y., see Tanaka, T. 211
Kulmala, S.
—, Kankare, J. and Haapakka, K.
Electrogenerated luminescence of terbium(III) in aqueous solutions 65
Kurzawa, J.
—, Kurzawa, Z. and Janowicz, K.
Determination of microgram and nanogram amounts of active chlorine in water by iodine–azide reaction induced by thiosulphate or thioammeline 127
Kurzawa, Z., see Kurzawa, J. 127

Li, J., see Wang, Z. 205
Liu, A., see Wang, E. 53
Luciani, M., see Antonelli, M.L. 17

Madrid, Y., see De la Calle Guntiñas, M.B. 161
Maki, Y., see Tanaka, T. 211
Martín Herrera, J.L., see Sagrado Vives, S. 133
Matsumoto, K., see Katsura, T. 77
Matsute, M., see Kimura, K. 41
Matsuzawa, K., see Ohtsuka, C. 181
Medina Hernández, M.J., see Sagrado Vives, S. 133
Mizuike, A., see Tanaka, T. 211
Mohr, K.H., see Spohn, U. 145
Montero, R.
—, Gallego, M. and Valcárcel, M.
Determination of amphetamines by use of a liquid–liquid extractor coupled on-line to an atomic absorption spectrometer 83
Mozammil, M., see Niazi, S.B. 115
Müller, H., see Dumschat, C. 7

Nakagawa, G., see Ohtsuka, C. 181
Niazi, S.B.
— and Mozammil, M.
Spectrophotometric determination of traces of iodide by liquid–liquid extraction of Brilliant Green–iodide ion pair 115
Nieman, T.A., see Calhoun, R.K. 29

Ohtsuka, C.
—, Matsuzawa, K., Wada, H. and Nakagawa, G.
Chromatographic behaviour of 2-(2-pyridylazo)-5-[*N*-(sulphoalkyl)amino]phenol chelates on hydrophobic stationary phases 181

Pingarrón, J.M., see Yáñez-Sedeño, P. 153
Polo Díez, L.M., see Yáñez-Sedeño, P. 153

Ramis Ramos, G., see Sagrado Vives, S. 133
Rapthel, I., see Spohn, U. 145
Reichwald, K., see Spohn, U. 145
Riley, J.P., see Abdul-Rashid, M.K. 223
Rusling, J.F.
— and Ito, K.
Voltammetric determination of electron-transfer rate between an enzyme and a mediator 23

Safavi, A.
— and Ensafi, A.A.
Flow-injection determination of traces of formaldehyde by the Brilliant Green–sulphite reaction with spectrophotometric detection 167
— and Ensafi, A.A.
Kinetic spectrophotometric determination of traces of sulphite 121
Sagrado Vives, S.
—, Medina Hernández, M.J., Martín Herrera, J.L. and Ramis Ramos, G.
Continuous-flow tristimulus colorimetry: a new approach for gradient scanning techniques 133
Schwedt, G., see Dumschat, C. 7
Skládal, P.
Determination of organophosphate and carbamate pesticides using a cobalt phthalocyanine-modified carbon paste electrode and a cholinesterase enzyme membrane 11
Skopenko, V.V., see Zaitsev, V.N. 1
Smit, H.C., see Engelsma, M. 187
Sørensen, P.
— and Jensen, E.S.
Sequential diffusion of ammonium and nitrate from soil extracts to a polytetrafluoroethylene trap for ^{15}N determination 201
Spohn, U.
—, Mohr, K.H., Reichwald, K. and Rapthel, I.
Simultaneous and rapid enzymatic determination of propylene oxide and propane-1,2-diol with flow-injection analysis 145
Stein, K., see Dumschat, C. 7

Taha, Z., see Wang, J. 215
Tanaka, T.
—, Maki, Y., Kobayashi, Y. and Mizuike, A.
Microscale electrolytic preconcentration of traces of lead and cadmium in silver 211

Valcárcel, M., see Montero, R. 83
Van Elteren, J.T.
—, Haselager, N.G., Das, H.A., De Ligny, C.L. and Agterdenbos, J.
Determination of arsenate in aqueous samples by precipitation of the arsenic(V)–molybdate complex with tetraphenylphosphonium chloride and neutron activation analysis or hydride generation atomic absorption spectrometry 89
Van Loon, J.C., see Wang, Z. 205
Veuthey, J.-L., see Coquet, A. 173

Wada, H., see Ohtsuka, C. 181
Wang, E.
— and Liu, A.
Polyaniline chemically modified electrode for detection of anions in flow-injection analysis and ion chromatography 53
Wang, J.
— and Taha, Z.
Batch injection with potentiometric detection 215
Wang, J., see Jin, W. 59
Wang, Z.
—, Li, J., Van Loon, J.C. and Barefoot, R.R.
Separation and enrichment of iron (as Fe^{3+}) and eleven metal ions in natural waters using a liquid membrane 205
Wolff, G.A., see Abdul-Rashid, M.K. 223
Yáñez-Sedeño, P.
—, Pingarrón, J.M. and Polo Díez, L.M.
Determination of *tert*-butylhydroxyanisole and *tert*-butylhydroxytoluene by flow injection with amperometric detection 153
Yokoyama, M., see Kimura, K. 41
Zaitsev, V.N.
—, Colomiets, L.I., Elskaya, A.V., Skopenko, V.V. and Evans, J.
Covalent immobilization of immunoglobulin on a wafer surface for immunosensor bioselective matrix construction 1